Eagle's Bluff Community Association, Inc. Design Guidelines

00735362

General Information

Revised September 1, 2024

General Information:

The official submittal of plans and specifications to the NCC is to provide a review process for conformance to guidelines and standards adopted by the NCC. The result is to impart a visual character and a sense of community through controlled architecture, landscaping, and other design elements identified in these guidelines. The NCC is committed to a high level of design quality within our community by reviewing residential design and plotting submissions and working with builders to achieve this goal.

The design for residences, all new construction, subsequent construction, remodeling with exterior exposure, expansion and demolition of structures must be reviewed and approved by the NCC prior to commencement of an on-site building or construction activity. The approval process can be facilitated if complete and high-quality submittal documentation is provided to the NCC. The NCC reserves the right to alter the review process to ensure and adequately review all submissions while accommodating the needs of builders and property owners.

Requirements:

The builder/owner is required to submit complete and accurate design and construction documents to be examined by the NCC. Minimum submittal requirements are defined in the attached New Construction/Architectural Control Committee (NCC/ACC) Form.

Submittals:

Submittals shall be delivered/sent to the attention of the NCC, care of: Rose City Property Management 108 North Houston Street, Bullard, Texas 75757 Mailing Address: PO Box 167, Bullard, Texas 75757 haley@rosecitymanagement.com; or fax 903-630-6356

<u>COTTAGES LOT</u> PLANNING CRITERIA

00735362 OR 2838 626

ANCILLARY STRUCTURES:

- <u>Permitted</u> Small open gazebos (maximum 12' x 12'); trellis shade structures; design and color approved by NCC.
- Not Permitted Storage sheds, playhouses of a permanent nature, greenhouses, cabanas

BUILDING HEIGHT: Maximum 2 story

MINIMUM UNIT SIZE: One Story: 1800 square feet

COMPOSITE BUILDING SITES: Maximum of one (1) lot.

LOT COVERAGE: Maximum 60% (includes house, garage, and all paved surfaces, not including pool and surrounding deck)

DOG RUN GUIDELINE: 4' black wrought iron fenced dog run, in an inconspicuous location (by NCC approval) - provide evergreen hedge border.

DRIVEWAYS:

- Materials Permitted Concrete or comparable; Asphalt or crushed stone NOT permitted
- Width of driveway at curb 12 feet for swing in and 16 feet for front loaded; 5-foot radius at intersection with street curb
- Maximum width of driveway at face of garage 2 cars: 20 feet
- Location of driveway dependent on tree preservation and approved lot plan
- **Driveway side setback** 3 foot minimum to the property line
- Circular Drives not permitted

SIDEWALKS:

- **MATERIALS PERMITTED** Concrete or Comparable; Asphalt or crushed stone NOT permitted
- **SIZE** 4' width
- LOCATION A 3' minimum barrier shall be maintained between the sidewalk and street curb, unless meandering for permanent equipment i.e. electrical, cable, water, etc. or trees greater than 3" caliper gentle radii must be observed when avoiding existing trees
- OTHER Compliance with federal and state law, including ADA is required

WALKWAYS:

- MATERIALS PERMITTED Concrete or comparable; asphalt or crushed stone NOT permitted
- SIZE 4' width
- **OTHER** Must be continuous through sidewalks from house to curb. Compliance with federal and state law, including ADA is required

FENCING: 4' black wrought iron along rear and side only. Not permitted in the front yard.

', GARAGE PLACEMENT:

• General – Front loaded or swing-in only; swing-in must not face toward a lake or golf course.

GRADING: Final lot shall be graded so that storm water will NOT be diverted to common area or neighboring lots. Care is to be taken to avoid erosion during construction and final grading.

DRAINAGE: No water run-off is permitted onto a neighboring property. Depending on the location of property, run-off may be required to be directed to the street. Stormwater runoff from concrete surfaces and roofs must be contained on the owner's property and properly discharged from property without causing damage to adjacent property. Drainage plan <u>SHALL</u> be submitted for approval, with application.

MAILBOXES: Stone, brick, or decorative posts.

POOL, HOT TUBS, DECKS: Rear Yards Only; Must obey side setbacks; No screen fencing permitted; No above ground swimming pools; safety fencing per state and/or local requirements; pool accessories above 4' NOT permitted; screen pool equipment. Pools must be 15' from rear of property line. No pools will be permitted or approved for any portion of vacant lots.

SEPTIC SYSTEM: Septic Systems must be installed in accordance with the requirements of AquaTexas, Inc.

SETBACKS:

FRONT: 20 feetSIDE: 5 feet

• SIDE STREET: Add 10 feet

• REAR: 25 feet

TREE REMOVAL: Only trees within 10' of the "footprint" of the foundation of the house, garage, and driveway/sidewalk, or present a safety hazard may be removed. All trees to be removed prior to construction shall be identified with COLOR RIBBON. To remove trees that are 3" or more in caliper (measured 1' from grade/base of tree), prior approval must be received. DO NOT MARK TREES THAT WILL REMAIN.

5' CONTINUOUS USE EASEMENT (See Appendix): Permits sidewalk to meander around transformers and provides area for screening

00735362

32

25 75 75

P9 627

COTTAGES LOT LANDSCAPE CRITERIA

8k Vol Ps 00735362 0R 2838 628

BACK YARD REQUIREMENTS

• Ornamental Trees: N/A

• Foundation Plantings: Screen all foundations

• Lawn: Sod only

CORNER LOT REQUIREMENTS

• ORNAMENTAL TREES: (1) 1 ½ "caliper Dogwood or Redbud per corner side yard

• MEDIUM SIZE SHRUBS: 10 at 3-5 gallons

FRONT YARD:

• Large Shrubs or Ornamental Trees: (2) at 15 gal. or (1) at 1 ½" caliper

• Medium Size Shrubs: 20 at 3-5 gallon

• Border Plants: 15 at 1 gallon

• Lawn: Sod only

LANDSCAPE LIGHTING:

• Permitted – Cast aluminum, brass, or wood fixtures

• Not Permitted – Plastic lighting fixtures, colored lighting, pole-mounted fixtures, exposed transformers, and wiring, "spill-over" lighting onto neighboring yards, streets, or public spaces

LANDSCAPE PLAN SUBMITTAL TO NCC: <u>Required</u> – 30 days prior to installation or 3 months after the start of new home construction

PLANTING BEDS: Shredded pine bark, cypress or cedar mulch, gravel, or rock.

MECHANICAL EQUIPMENT & METERS: Screen all sides visible to the public

SIDE-BY-SIDE DRIVEWAYS ON NEIGHBORING LOTS: N/A

UTILITY PEDESTALS: Screen all sides visible with evergreen hedge or shrubs.

COTTAGES LOT ARCHITECTURAL CRITERIA

ADDRESSES: Required – Pre-cast concrete standard located on brick or stone utility pedestal wall, painted on the curb, or listed on a brick or stone mailbox.

ANTENNAE, SATELLITE DISHES & RADIO TOWERS: Antennae and satellite dishes must be placed on side or rear slope not facing street or golf course. They may not extend above the ridgeline of the roof. Towers are not permitted.

ARCHITECTURAL STYLE: The Texas style of architecture can best be described as "sensible and straightforward rather than stylish and showy" from Impressions by Lawrence Speck.

- <u>Appropriate</u>. American Cottage, English Cottage, English Tudor, French Country, Two-story Ranch, Saltbox, Palladian, Queen Anne, Neo-classical, Neo-Georgian (refer to Azalea District and Bergfeld Park), Mediterranean/ Spanish, and Craftsman.
- <u>Not Appropriate</u>. Carpenter Gothic, Prairie, Italianate, Farmhouse, Victorian (Ornate), Empire, Charleston, Dutch Gable, Southwest, and Plantation.

CHIMNEYS:

- Exterior Masonry or Stone only
- Gas Fireplaces Direct vent permitted.

ELEVATIONS: No blank walls may face a street, lake, golf course or common area.

EXTERIOR MATERIALS NOT PERMITTED: Metal siding; naturally weathered wood, Masonite siding, plywood siding.

MASONRY PERCENT REQUIREMENT: 75% brick, stone, or stucco on the entire home; 75% brick, stone or stucco on the front of the house.

FOUNDATIONS: Limited clearing beyond 10' of foundation line; tree and form survey required.

GARAGES:

- Vehicle Storage Minimum 2 car garage
- Garage Doors Double Front facing garage doors permitted. Metal, paneled construction; stained or painted wood
- Swing In Garages Permitted; Rear and side of garage facing the street must have windows
- Detached Garages Permitted
- Golf Cart Storage Must be contained within garage

PAINT: Maximum of 3 colors per dwelling; 100% durable acrylic encouraged; submit palette to NCC

ROOF:

- Pitch: 8:12 Maximum. Tile approved by NCC and appropriate for architectural style
- <u>Materials</u>: 25 yr. warranty such as Prestique II, GS Firehalt or equal; standing metal seam (textured, non-metallic) on patios, dormers, etc.; natural stone, slate, or concrete tiles. Clay tile approved by NCC and appropriate for architectural shingle style.
- Roof Forms Not Permitted: Flat or pitch greater than 8:12

• <u>Solar Panels</u>: Permitted on rear and/or south facing roof. No solar panels permitted on front, or facing the golf course.

SHUTTERS: Each shutter must be appropriate for the shape of the window


TRIM: Wood trim of finish grade stock (stained or painted), Hardi-plank concrete siding


WALL/RETAINING WALL STRUCTURE: Must have a licensed engineer sign off on all wall structure designs. The wall must be in aesthetic harmony with the external design of existing structures.

WINDOWS:


- Permitted Wood, metal-clad or vinyl-clad which compliment style and color
- Not Permitted Aluminum, reflective glass or placing, wrought iron ornamentation or burglar bars, metal awnings, solar screens

FENCING STANDARDS







男哭



EAGLE'S BLUFF LAKE PALESTINE UTILITY AND CONTINUOUS USE EASEMENTS



COLLECTOR STREET UTILITY EASEMENT



LOCAL STREET UTILITY EASEMENT & CONTINUOUS USE EASEMENT

EAGLE'S BLUFF LASE PALESTINE APPROPRIATE ARCHITECTURE



Perta, made neuron pp leu ppyropodelia il di 1850 lil che ducion i si un adellikt i impolit i inpo, in si map uni de, na ladi mat il datga program, l'indi accodi med 1850 l lan un myllimus kang muni perment din 1861 1862 1854 b



kändinnun annatipasiin berefe top mapaisis da Par nugisa dan basisis di kändin inali käheta indin Sebanginan punkanund. Tänp lähe esetti sististiotik



The re-sum era or are currently to be Orienso and Stag to Theselby Bank Will recently a fine and rechapte and the success of the supple and the success to be supple.



Chesal Cool (1) (The bad College typergy) were the exists. Their class congent in baying which which of the statem. The object on the property spatials in a cale therethe H 1831 between



ryaayst gryde to kesseson flear in ster ratios



MagMila esa sagor alpha de appropria ha dis dica en piccia. Na fini en el lasconer (den en leg como propria da l'indice a e norma.



THE TRUE POST AND THE POST OF THE POST OF



Chann Anns châis pa rop de la la Cast eglan. Arekholist end etalle state, del lei besch appenpel la en l'estaphe Cabada cher appenpel la Casta ankiestà a



Siran Manuali, englis, en unge man da, genetana, kanan penung senal undi ngga, at pepungga kalènda nadanal dinamanan manualim da kalèn dina dinakan

Crafteren riple trappropriatess this region. Brand brick chickeys, langthy morred parches.

EAGLE'S BLUFF LAKE PALESTINE APPROPRIATE ARCHITECTURE



On fall komer futby the materirest park, frost parkirs are regulard. Extendiate the "three-beat" faces for certain styles of architecture.



Cimitatean style appropriate twittle region. Columna must be appropriate to the style. Expected sulture permitted.



Multiple gabled and appropriate to the Thilese style.




Tudar scyle is apprepriate to the region. Sing aloping reads, and passing ar glass satisfied reads overlooking the lakes and the gelf cause, since or intellectual lines. Enotics without exerced paraboratically be recessed.



If allipia gabied racile supprepriate to the Tudge alyte.



Tudar atyle appropriate. Control entrylywith, unlive 10214, steep work.



Country Ceinstal style appenysiate to the region.



Coloutal style appropriate to the regime.



Placesitant Louistana Rayon sy is appropriate to the engine. There were the electric star Arr above grade. That must be recade exect. Hall and colonise as regulated.

EAGLE'S BLUFF

LAKE PALESTINE

INAPPROPRIATE ARCHITECTURE


00735362 OR



Too much glass and not conugh building.



These-or front leaded granges not permitted. Guages out permitted genter than 16' (sixteen feet) from front elevation.



Oversized toof domeers and columns too large of a scale for size of house. More roof than house not permitted on front elevations.



Roof pitch (4:12) are appropriate for this region. Two front-haded swing-in paragras freing each other are not permitted.




Clearatesy mollines not permitted. Facat leaded garages not permitted unless schlack 16° (abstract facil) or word from the front obvestion. Front landed garages must be squarated by a column.

EAGLE'S BLUFF LAKE PALESTINE INAPPROPRIATE ARCHITECTURE



happurpriately scaled arelitectural style.

covered poteti and



Parmhouse style not permitted.




Queen Anne style not permitted. Too emate for this region.



Italianate style of architecture not permitted,





COUNTY OF SMITH

This instrument was acknowledged before me on September 18, 2024

by Hally Flave

Lonnal Blake
Notary ID #125005600
My Commission Expires
January 26, 2025

NOTARY PUBLIC, STATE OF TEXAS
NOTARY'S PRINTED NAME:

MY COMMISSION EXPIRES:

Jonesony 26, 2025

Filed for Record in: Official Public Records Cherokee County

On: Sep 18,2024 at 11:10A

As a Recordinas

Document Number:

00735362

By, Tracy Dement, Deputy

STATE OF TEXAS COUNTY OF CHEROKEE

I hereby certify that this instrument
was filed on the date and time stamped
hereon by me and was duly recorded in
the volume and page of the named
records of:

Cherokee County as stamped hereon by me.

Sep 18,2024

HONORABLE Laverne Lusk, COUNTY CLERK Cherokee Counts